Compact, high-precision, and high-heat-resistant design, suitable for all position detection needs.





■ Type: Rotary

Applications: Energy_Industrial: Robots, drones, Industrial equipment
Healthcare: Healthcare equipment, Nursing care equipment
Analysis, test equipment: Analysis, test equipment
Home: Major home appliances, Office equipment
Audio_TV: Visual, Audio

Automotive: Navigation/audio systems, HVAC

■ Product List

| Products No. | Control part orientation | Mounting method | Linearity guarantee range | Linearity | Total resistance | Operating life (cycles) | Dimensions (mm) | Automotive | Drawing No. |
|--------------|--------------------------|---|------------------------------|-----------|------------------|----------------------------|-----------------|------------|----------------|
| RDC501051A | Vertical | Manual, DIP | 320° | ±2% | 10kΩ | 1,000,000 | 11.0×12.0×3.5 | • | 1 |
| RDC501052A | Vertical | Manual, DIP | 320° | ±2% | 1 OkΩ | 1,000,000 | 11.0×12.0×3.5 | • | 2 |
| RDC502012A | Horizontal | Manual, DIP | 320° | ±2% | 1 OkΩ | 1,000,000 | 11.0×3.9×13.5 | • | 3 |
| RDC503051A | Vertical | Reflow | 320° | ±2% | 1 OkΩ | 1,000,000 | 11.0×12.0×2.75 | • | 4 |
| RDC503052A | Vertical | Reflow | 320° | ±2% | 1 OkΩ | 1,000,000 | 11.0×12.0×2.75 | • | 5 |
| RDC503051A | Vertical | Reflow | 140° | ±2% | 4.7kΩ | 1,000,000 | 11.0×12.0×2.75 | • | 4 |
| RDC506018A | Vertical | Reflow (Low-profile) | 320° | ±2% | 1 OkΩ | 1,000,000 | 11.0×12.0×2.2 | • | 6 |
| RDC506A03A | Vertical | Reflow (Low- profile, Long- life, Without case hole) | 320° | ±2% | 10kΩ | 2,000,000 | 11.0×12.0×2.2 | • | 7 |

⚠Note

- 1. This catalog shows only outline specifications. When using the products, please obtain formal specifications for supply.
- 2. Please place purchase orders per minimum order unit (integer).


■ Packing Specifications

Tray

| Products No. | Number of pa | Export package measurements | |
|--------------------------|----------------|--------------------------------|-------------|
| Floudets No. | 1 case / Japan | 1 case / export packing | (mm) |
| RDC501051A RDC501052A | 1,500 | 3,000 | 526×370×191 |
| RDC502012A | 1,600 | 1,600 | 370×280×92 |


Taping

| | | Numb | per of packages | (pcs.) | Tape width | Export package measurements (mm) | |
|--|--|--------|-----------------|----------------------------|------------|--|--|
| | Products No. | 1 reel | 1 case / Japan | 1 case / export packing | (mm) | | |
| | RDC503051A RDC503052A RDC503051A | 1,300 | 3,900 | 3,900 | 24 | 415×407×135 | |
| | RDC506018A RDC506A03A | 1,200 | 3,600 | 3,600 | 24 | 415×407×135 | |




Drawing No.1


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting side

Drawing No.2


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting side

Drawing No.3


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting side

Drawing No.4


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting side

Drawing No.5


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting side

Drawing No.6


■ Dimensions



■ Land Dimensions



■ Circuit Diagram




ALPS/ILPINE


Viewed from mounting side

Drawing No.7


Dimensions



■ Land Dimensions



■ Circuit Diagram



Viewed from mounting side