


Switches Rotary Switches

8-positions Low-profile Vertical Type
SRBV Series

Contributes to set design flexibility with a body height of 7.5mm and thin-profile design.



- Rating (max.)/(min.) (Resistive load): 0.3A 16V DC/50μA 3V DC
- Contact resistance (Initial performance/After lifetime):
50mΩ max./150mΩ max.
- Operating life without load: 10,000 cycles 100mΩ max.
- Operating life with load (at max. rated load): 10,000 cycles 150mΩ max.

Applications: Home: Major home appliances

■ Product List

Products No.	Poles	Positions	Changeover angle	Changeover timing	Rotational torque	Actuator configuration	Actuator length	Dimensions (W×D×H) (mm)	Automotive	Drawing No.
SRBV131803	1	3	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	1
SRBV131502	1	3	30±3°	Non shorting	30±15mN·m	Flat	L: 20mm	16.2×18.5×7.5	—	2
SRBV141404	1	4	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	3
SRBV141201	1	4	30±3°	Non shorting	30±15mN·m	Flat	L: 20mm	16.2×18.5×7.5	—	4
SRBV151102	1	5	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	5
SRBV150901	1	5	30±3°	Non shorting	30±15mN·m	Flat	L: 20mm	16.2×18.5×7.5	—	6
SRBV160803	1	6	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	7
SRBV170701	1	7	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	8
SRBV170501	1	7	30±3°	Non shorting	30±15mN·m	Flat	L: 20mm	16.2×18.5×7.5	—	9
SRBV181004	1	8	30±3°	Non shorting	30±15mN·m	Flat	L: 15mm	16.2×18.5×7.5	—	10

⚠ Note

1. This catalog shows only outline specifications. When using the products, please obtain formal specifications for supply.
2. Please place purchase orders per minimum order unit (integer).

■ Packing Specifications

Tray


Number of packages(pcs.)		Export package measurements (mm)
1 case / Japan	1 case / export packing	
165	330	400 x 270 x 185

Switches Rotary Switches


8-positions Low-profile Vertical Type
SRBV Series

Drawing No.1


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Drawing No.2


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Drawing No.3


■ Dimensions



■ Mounting Hole Dimensions



■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Switches Rotary Switches


8-positions Low-profile Vertical Type
SRBV Series

Drawing No.4


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Drawing No.5


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Drawing No.6


■ Dimensions



■ Mounting Hole Dimensions



■ Circuit Diagram and Dummy Terminals




Viewed from direction A in the dimensions.

Switches Rotary Switches


8-positions Low-profile Vertical Type
SRBV Series

Drawing No.7

■ Dimensions




■ Mounting Hole Dimensions




Viewed from direction A in the dimensions.

■ Circuit Diagram and Dummy Terminals




Drawing No.8

■ Dimensions




■ Mounting Hole Dimensions




Viewed from direction A in the dimensions.

■ Circuit Diagram and Dummy Terminals




Drawing No.9

■ Dimensions



■ Mounting Hole Dimensions



Viewed from direction A in the dimensions.

■ Circuit Diagram and Dummy Terminals

