


TACT Switch™ Snap-in Type

6.0×3.5mm (Snap-in)
SKHL Series

Contributes to high-density mounting with top-push and side-push configurations.



Automotive

- Series type: Sharp feeling type
- Rating (max.): 50mA 12V DC
- Rating (min.): 10μA 1V DC

Applications: Energy_Industrial: Industrial equipment
 Healthcare: Healthcare equipment, Analysis, test equipment
 Home: Office equipment
 Audio_TV: Visual, Audio, Pro audio
 Automotive: Navigation/audio systems, HVAC

■ Product List

Products No.	Type	Operating direction	Operating force (N)	Travel (mm)	Operating life (cycles)	Initial contact resistance	Dimensions (W×D×H) (mm)	Water-proof	Dust-proof	Automotive	Drawing No.
SKHLAAA010	Top push type	Top push	0.98	0.25	50,000	500mΩ max.	6.0×3.5×4.3	—	—	●	1
SKHLACA010		Top push	1.57	0.25	50,000	500mΩ max.	6.0×3.5×4.3	—	—	●	
SKHLAJA010		Top push	2.55	0.25	30,000	500mΩ max.	6.0×3.5×4.3	—	—	●	
SKHLABA010		Top push	0.98	0.25	50,000	500mΩ max.	6.0×3.5×5.0	—	—	●	2
SKHLADA010		Top push	1.57	0.25	50,000	500mΩ max.	6.0×3.5×5.0	—	—	●	
SKHLAKA010		Top push	2.55	0.25	30,000	500mΩ max.	6.0×3.5×5.0	—	—	●	
SKHLLAA010	Side push type	Side push	0.98	0.25	50,000	500mΩ max.	7.3×6.72×4.3	—	—	●	3
SKHLLBA010		Side push	1.57	0.25	50,000	500mΩ max.	7.3×6.72×4.3	—	—	●	
SKHLLFA010		Side push	2.55	0.25	30,000	500mΩ max.	7.3×6.72×4.3	—	—	●	
SKHLLCA010		Side push	0.98	0.25	50,000	500mΩ max.	7.3×6.72×4.3	—	—	●	4
SKHLLDA010		Side push	1.57	0.25	50,000	500mΩ max.	7.3×6.72×4.3	—	—	●	

Note

1. This catalog shows only outline specifications. When using the products, please obtain formal specifications for supply.
2. Please place purchase orders per minimum order unit (integer).


■ Packing Specifications

Bulk


Number of packages(pcs.)		Export package measurements (mm)
1 case / Japan	1 case / export packing	
10,000	30,000	309×476×347

TACT Switch™ Snap-in Type**6.0×3.5mm (Snap-in)
SKHL Series****Drawing No.1**


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting face.

Drawing No.2


■ Dimensions



■ Mounting Hole Dimensions




■ Circuit Diagram




Viewed from mounting face.

Drawing No.3


■ Dimensions



■ Mounting Hole Dimensions



■ Circuit Diagram




Viewed from mounting face.

TACT Switch™ Snap-in Type


6.0×3.5mm (Snap-in)
SKHL Series

Drawing No.4


■ Dimensions



■ Mounting Hole Dimensions



■ Circuit Diagram



Viewed from mounting face.