

TACT Switch™ Snap-in Type

6.0×3.5mm (Snap-in)

SKHL Series

Contributes to high-density mounting with top-push and side-push configurations.



- Series type: Sharp feeling type
- Rating (max.): 50mA 12V DC
- Rating (min.): 10μA 1V DC

Applications: Energy_Industrial:Industrial equipment
Healthcare: Healthcare equipment, Analysis, test equipment
Home: Office equipment
Audio_TV: Visual, Audio, Pro audio
Automotive: Navigation/audio systems, HVAC

■ Product List

Products No.	Type	Operating direction	Operating force (N)	Travel (mm)	Operating life (cycles)	Initial contact resistance	Dimensions (W×D×H) (mm)	Water-proof	Dust-proof	Automotive	Drawing No.
SKHLAAA010	Top push type	Top push	0.98	0.25	50,000	500mΩ max.	6.0×3.5×4.3	—	—	●	1
SKHLACA010		Top push	1.57	0.25	50,000	500mΩ max.	6.0×3.5×4.3	—	—	●	
SKHLAJA010		Top push	2.55	0.25	30,000	500mΩ max.	6.0×3.5×4.3	—	—	●	
SKHLABA010		Top push	0.98	0.25	50,000	500mΩ max.	6.0×3.5×5.0	—	—	●	2
SKHLADA010		Top push	1.57	0.25	50,000	500mΩ max.	6.0×3.5×5.0	—	—	●	
SKHLAKA010		Top push	2.55	0.25	30,000	500mΩ max.	6.0×3.5×5.0	—	—	●	
SKHLLAA010	Side push type	Side push	0.98	0.25	50,000	500mΩ max.	7.3×7.22×4.3	—	—	●	3
SKHLLBA010		Side push	1.57	0.25	50,000	500mΩ max.	7.3×7.22×4.3	—	—	●	
SKHLLFA010		Side push	2.55	0.25	30,000	500mΩ max.	7.3×7.22×4.3	—	—	●	
SKHLLCA010		Side push	0.98	0.25	50,000	500mΩ max.	7.3×7.22×4.3	—	—	●	4
SKHLLDA010		Side push	1.57	0.25	50,000	500mΩ max.	7.3×7.22×4.3	—	—	●	

⚠ Note

1. This catalog shows only outline specifications. When using the products, please obtain formal specifications for supply.
2. Please place purchase orders per minimum order unit (integer).

■ Packing Specifications

Bulk

Number of packages(pcs.)		Export package measurements (mm)
1 case / Japan	1 case / export packing	
10,000	30,000	309×476×347

TACT Switch™


Snap-in Type

6.0×3.5mm (Snap-in)


SKHL Series

Drawing No.1


Dimensions



Mounting Hole Dimensions




Circuit Diagram




Viewed from mounting face.

Drawing No.2


Dimensions



Mounting Hole Dimensions




Circuit Diagram




Viewed from mounting face.

Drawing No.3


Dimensions



Mounting Hole Dimensions



Circuit Diagram



Viewed from mounting face.

TACT Switch™


Snap-in Type

6.0×3.5mm (Snap-in)


SKHL Series

Drawing No.4


■ Dimensions



■ Mounting Hole Dimensions



■ Circuit Diagram



Viewed from mounting face.